

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L2	0	10/718215	US-PGPUB	OR	ON	2005/12/23 15:59
L6	0	("702"/\$.ccls. "327"/\$.ccls. "324"/\$.ccls. "341"/\$.ccls.) and ((phase with delay\$3) and (clock with signal) and (measur\$6 with delay) and (signal with edge) and within and reference and clock and period and (calculat\$3 with delay) and calculat\$3 and ideal and signal and edge).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/23 16:09
L7	0	(phase with delay\$3 with clock with signal) and (measur\$6 with delay with spac\$3) and (signal with edge) and (within with reference with clock with period) and (calculat\$3 with delay with spac\$3) and (calculat\$3 with ideal with signal with edge)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/23 16:07
L8	0	(phase with delay\$3) and (clock with signal) and (measur\$6 with delay with spac\$3) and (signal with edge) and (within with reference with clock with period) and (calculat\$3 with delay with spac\$3) and (calculat\$3 with ideal with signal with edge)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/23 16:08
L9	0	(phase with delay\$3) and (clock with signal) and (measur\$6 with delay) and (signal with edge) and within and (reference with clock with period) and (calculat\$3 with delay) and (calculat\$3 with ideal with signal with edge)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/23 16:09
L10	0	("702"/\$.ccls. "327"/\$.ccls. "324"/\$.ccls. "341"/\$.ccls.) and ((phase with delay\$3) and (clock with signal) and (measur\$6 with delay) and (signal with edge) and within and reference and clock and period and (calculat\$3 with delay) and calculat\$3 and ideal and signal and edge).clm.	US-PGPUB	OR	ON	2005/12/23 16:09
S1	0	10/718215	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/23 15:54

S2	2	"6242959".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/23 15:54
S3	1766	(measur\$6 with delay with clock with signal)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/08 14:52
S4	36	S3 and (delay with spacing)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/07 18:52
S5	0	S4 and (desire\$3 with delay with spacing)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/07 17:05
S6	0	S4 and (ideal with signal with edges)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/07 16:02
S7	0	S2 and (calculat\$3 with ideal with signal with edges)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/07 18:27
S8	0	S2 and (ideal with signal with edges)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/07 16:56
S9	1766	(measur\$6 with delay with clock with signal)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/07 16:56

S10	10	S9 and (ideal with signal with edges)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/07 18:52
S11	1	S10 and (adjust\$3 with clock with signal with edges)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/07 17:07
S12	2	S9 and (calculat\$3 with ideal with signal with edges)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/07 17:03
S13	0	S12 and (adjust\$3 with clock with signal with edges)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/08 10:55
S14	0	S9 and (calculat\$3 with desire\$3 with delay with spacing)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/07 17:07
S15	0	(delay with clock with signal) and (calculat\$3 with desire\$3 with delay with spacing)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/07 17:06
S16	3	S9 and (calculat\$3 with delay with spacing)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/07 18:12
S17	0	S16 and (adjust\$3 with clock with signal with edges)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/07 18:53

S18	1766	(measur\$6 with delay with clock with signal)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/07 18:12
S19	10	S18 and (ideal with signal with edges)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/07 18:12
S20	0	S19 and (delay with spacing)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/07 18:12
S21	3	S18 and (calculat\$3 with delay with spacing)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/07 18:19
S22	3	S18 and (calculat\$3 with delay with spacing)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/07 18:16
S23	0	(delay with spacing) same (clock with signal with edges) same (ideal with signal with edges)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/07 18:17
S24	17	(delay with spacing) same (clock with signal with edges)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/07 18:23
S25	0	(measur\$6 with delay with spacing) same (clock with signal with edges)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/07 18:26

S26	0	S24 and (measur\$6 with delay)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/07 18:19
S27	0	S24 and (calculat\$3 with delay with spacing)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/07 18:24
S28	3	S24 and (calculat\$3 with delay)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/07 18:25
S29	0	(calculat\$6 with delay with spacing) same (clock with signal with edges)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/07 18:27
S30	11	(calculat\$6 with delay with spacing) and(clock with signal with edges)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/28 07:32
S31	0	S30 and (calculat\$3 with ideal with signal with edges)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/07 18:28
S32	0	S30 and (measur\$3 with ideal with signal with edges)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/07 18:28
S33	0	S30 and (measur\$6 with ideal with signal with edges)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/07 18:28

S34	0	S30 and (deal with signal with edges)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/07 18:28
S35	67	(calibrat\$3 with phase with delay) and (clock with signal) and (reference with clock with period)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/07 19:01
S36	5	S35 and (ideal with signal with edges)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/07 19:00
S37	0	S36 and (delay with spacing)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/07 19:02
S38	0	S36 and (delay with spac\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/07 19:00
S39	2	S35 and (delay with spacing)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/07 18:55
S40	0	S38 and (adjust\$3 with clock with signal)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/07 18:54
S41	1	S39 and (adjust\$3 with clock with signal)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/07 18:54
S42	5	("4922141" "5124593" "5428309" "5598039" "5719514").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/04/07 19:25

S43	0	S42 and (delay with spac\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/07 19:00
S44	0	S42 and (ideal with signal with edges)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/07 19:00
S45	135	(calibrat\$3 with phase with delay) and (clock with signal with edges)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/07 19:02
S46	1	S45 and (measur\$6 with delay with spacing)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/07 19:02
S47	0	idealedge and clockedge and (delay with spacing)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/07 19:16
S48	0	(ideal near2 edge) and (clock near2 edge) and (delay with spacing)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/07 19:17
S49	1766	(measur\$6 with delay with clock with signal)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/07 19:19
S50	10	S49 and (ideal with signal with edges)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/07 19:29
S51	383	"702"/\$.ccls. and (delay with clock with signal)	US-PGPUB; USPAT; USOCR	OR	OFF	2005/04/07 19:25

S52	2	"702"/\$.ccls. and (phase with delay with clock with signal with edge)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/07 19:33
S53	0	S52 and (delay with spac\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/07 19:28
S54	23	S51 and (delay with spac\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/07 19:28
S55	0	S54 and (ideal with signal with edges)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/07 19:29
S56	5	S51 and (ideal with signal with edges)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/07 19:33
S57	0	S56 and (adjust\$3 with clock with signal with edges)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/07 19:30
S58	1	S56 and (adjust\$3 with clock with signal)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/07 19:30
S59	0	"702"/\$.ccls. and (delay with spac\$3) and (ideal with signal with edges)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/07 19:34

S60	1	"702"/\$.ccls. and (delay with clock with signal with edge) and (delay with spac\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/07 19:35
S61	62	"702"/\$.ccls. and oscilloscope and timebase	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/08 10:56
S62	8	S61 and (delay with clock)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/08 11:01
S63	2	S62 and (delay with spac\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/08 11:06
S64	3	oscilloscope and (delay with spac\$3 with clock with edge)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/08 15:06
S65	2	oscilloscope and (delay with spac\$3) and clock and (adjust\$3 with clock with signal with edge)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/08 12:32
S66	55	(delay with spac\$3) and clock and (adjust\$3 with clock with signal with edge) and ((calculat\$3 or measur\$6) with (ideal good select\$3) signal with edge)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/08 11:43
S67	3	S66 and ((measur\$6 calculat\$3) with delay with spac\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/08 11:47

S68	55	(delay with spac\$3) and clock and (adjust\$3 with clock with signal with edge) and ((calculat\$3 measur\$6) with (ideal good select\$3) signal with edge)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/08 11:45
S69	0	(delay with spac\$3) and clock and (adjust\$3 with clock with signal with edge) and ((calculat\$3 measur\$6) with (ideal good select\$3) with signal with edge)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/08 12:26
S70	19	(delay with spac\$3) and clock and ((calculat\$3 measur\$6) with (ideal good select\$3) with signal with edge)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/08 11:46
S71	4	S70 and ((measur\$6 calculat\$3) with delay with spac\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/08 11:47
S72	0	"702"/\$.ccls. and oscilloscope and (delay with spac\$3) and clock and ((calculat\$3 measur\$6) with (ideal good select\$3) with signal with edge)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/08 11:51
S73	2	"702"/\$.ccls. and (delay with spac\$3) and clock and ((calculat\$3 measur\$6) with (ideal good select\$3) with signal with edge)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/08 18:14
S74	0	(delay with spac\$3) and clock and (adjust\$3 with clock with signal with edge with match with respective with signal with edge)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/08 12:28
S75	2	(delay with spac\$3) and clock and (adjust\$3 with signal with edge with match with respective with signal with edge)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/08 12:28

S76	8	"702"/\$.ccls. and oscilloscope and (adjust\$3 with clock with signal with edge)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/08 13:34
S77	0	S76 and ((calculat\$3 measur\$6) with spac\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/08 12:35
S78	5	S76 and spac\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/08 12:35
S79	6	"702"/\$.ccls. and (delay with phase) and (adjust\$3 with clock with signal with edge)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/08 13:38
S80	4	S79 and (select\$3 with clock with signal with edge)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/08 13:48
S81	0	S79 and (delay with spac\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/08 13:37
S82	0	"702"/\$.ccls. and (delay with spac\$3) and (adjust\$3 with clock with signal with edge)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/08 13:38
S83	0	"702"/\$.ccls. and (delay with spac\$3 with signal with edge) and (select\$3 with clock with signal with edge)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/08 13:42

S84	4	"702"/\$.ccls. and (delay with spac\$3 with signal with edge)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/08 13:39
S85	1	"702"/\$.ccls. and (measur\$6 with delay with spac\$3 with signal with edge)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/08 13:43
S88	2	"702"/\$.ccls. and (calibrat\$3 with clock with signal with edge) and (adjust\$3 with select\$3 with clock with signal with edge)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/08 13:49
S89	0	tunning and (spider with display\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/08 14:49
S90	9	"702"/\$.ccls. and (spider with display\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/08 14:51
S91	3	(measur\$6 with delay with clock with signal) and tuning and (adjust\$3 with clock with signal with edges)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/08 14:52
S92	28	oscilloscope and tuning and display\$3 and (clock with signal with edge)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/08 15:15
S93	8	S92 and (adjsut\$3 calibrat\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/08 15:12

S94	3	S93 and spac\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/08 15:14
S95	0	S93 and ((spac\$3 distance) with clock with signal with edge)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/08 15:15
S96	0	S92 and ((spac\$3 distance) with clock with signal with edge)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/08 15:15
S97	5	tuning and display\$3 and (clock with signal with edge) and ((spac\$3 distance) with clock with signal with edge)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/08 15:22
S98	7	display\$3 and (adjust\$3 with clock with signal with edge) and ((spac\$3 distance) with clock with signal with edge)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/08 15:31
S99	6	S98 and delay	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/08 15:31
S10 0	4	(clock with delay with (adjust adjusting adjustment) with edge with ((measur measuring measurement calculat calculating calculation compute computing computation) near delay))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/08 17:23
S10 1	0	S100 and (pair with clock with signal)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/08 17:23

S10 2	1	"702"/106 and (delay with clock with signal) and ((measur measuring measurement calculat calculating calculation compute computing computation) near delay)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/27 08:51
S10 3	0	((calculat\$6 measur\$6) with delay with spacing) and (ideal with signal with edges)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/28 07:33
S10 4	0	(delay with spacing) and ((measur\$6 calculat\$3) with ideal with signal with edges)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/28 07:34
S10 5	30	((measur\$6 calculat\$3) with ideal with signal with edges)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/28 08:23
S10 6	0	S105 and ((measur\$6 calculat\$3) with (phase-delay\$3 (phase near2 delay\$3)) with clock)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/28 07:39
S10 7	1	S105 and ((measur\$6 calculat\$3) with (phase-delay\$3 (phase near2 delay\$3)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/28 07:41
S10 8	2	S105 and ((measur\$6 calculat\$3) with delay\$3 with between with clock with signal)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/28 07:47
S10 9	2	S108 and (adjust\$3 with clock with signal)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/28 07:47

S11 0	0	((measur\$6 calculat\$3) with ideal with signal with edges) and (adjust with frequency with clock with signal)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/28 08:24
S11 1	2	((measur\$6 calculat\$3) with ideal with signal with edges) and ((adjust\$3 with frequency) same (clock with signal))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/28 08:25
S11 2	0	10/718215	US-PGPUB	OR	ON	2005/10/27 08:18
S11 3	2	"6242956".PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/27 08:54
S11 4	2	"6242959".PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/27 09:21
S11 5	0	(measur\$6 with delay with spac\$3 with clock with signal) and (calculat\$3 with desired with delay spac\$4) and (calculat\$3 with ideal with signal with edges)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/27 09:29
S11 6	0	(measur\$6 with delay with spac\$3 with clock with signal) and (calculat\$3 with predetermin\$3 with delay spac\$4) and (calculat\$3 with ideal with signal with edges)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/27 09:29